

# Do your pumps measure up?

The United States Department of Justice (DOJ) has stated that any pump with reach heights of operable parts over 54 inches is in violation of the Americans with Disabilities Act (ADA), putting the station owner at risk of a lawsuit. “Operable parts” include the credit card reader and the button for selecting fuel grade, as well as any buttons for requesting help.

## Compliance is simple.

**fuel**  **call**®

US Patent 7,049,955



**inclusion=solutions**  
[www.inclusionsolutions.com](http://www.inclusionsolutions.com)

Our goal at Inclusion Solutions is to assist you with the transition to the 2010 Standards in time for the March 15, 2012 deadline. We will ensure that your customer's gas stations are compliant as well as help you identify the best forecourt solution for your gas station's configuration.

Please review our diagram showing what the Department of Justice requires for compliance: this information will be useful to you and your customers. I have also included information explaining how a patented retrofit solution can ensure you meet legal requirements laid out in the 2012 ADA Standards.



David Lopez  
Senior Sales Consultant


[dlopez@inclusionsolutions.com](mailto:dlopez@inclusionsolutions.com)  
(866) 232-5487

# NON-COMPLIANT

BUTTON EXCEEDS 54" \*  
ABOVE VEHICULAR WAY,  
VIOLATING ADA DESIGN  
REQUIREMENTS.

\*THIS IS NOT  
SAFE-HARBORED  
IN THE NEW  
REGULATIONS.

>54"




BUTTON 48" ABOVE  
VEHICULAR WAY,  
ENSURING FULL  
COMPLIANCE AND  
ACCESSIBILITY.



# COMPLIANT

## FuelCall® Standard Kit for Distributors

*Ideal for Stations with Both Regular Gas and Alternative Fuel Pumps*




### Points to Consider:

- **Range:** Up to 2,000 feet, unobstructed
- **Wireless:** Forecourt is not disturbed with installation
- **Universal Design:** Works regardless of pump or pump island height

## FuelCall® Single Kit for Distributors

*Ideal for Stations with Regular Gas Pumps Only*



### Points to Consider:

- **Range:** Up to 2,000 feet, unobstructed
- **Wireless:** Forecourt is not disturbed with installation
- **Universal Design:** Works regardless of pump or pump island height